

Food Service Equipment

Phone: (800) 632-4572 | Fax: (269) 795-1189



11/19/2024

132533

Quote

To: Genesee Co. Community Action
Resource Dept. #1153
Garey West
601 N. Saginaw St
Flint, MI 48502
(810) 232-2185 (Contact)
GWest@geneseecountymi.gov

From: HPS
Nikol Newton
3275 N M-37 Hwy
Middleville, MI 49333
800-632-4572 (Contact)
269-795-1189 (Fax)
nnewton@hpsgpo.com

Project: Genesee Co. Community Action
Resource Dept.
16-Crate Milk Cooler

DUE TO INCREASE IN DELIVERY DAMAGE, PLEASE READ IMPORTANT
INFORMATION ABOUT YOUR DELIVERY AT BOTTOM OF QUOTE.

Item	Qty	Description	Sell	Sell Total
1	1 ea	MILK COOLER  Beverage Air SM58HC-W School Milk Cooler, cold wall, normal temperature, 58"W x 30-5/8"D x 41-1/8"H, 22.63 cu. ft., single access, flat top carton capacities, (16) 13" x 13" x 11" or (10) 19" x 13" x 11" case capacity, self-latching doors/lids with safety bumpers, cylinder lock, wire floor racks, floor drain, electronic control, manual defrost, galvanized steel interior with stainless steel floor, white exterior, R290 Hydrocarbon refrigerant, 1/3 HP, cULus, UL EPH Classified, UL-Sanitation, Made in USA Dimensions 41.13(h) x 58(w) x 30.63(d)	\$3,075.24	\$3,075.24
		7 year parts & labor and 7 year compressor warranty (excludes maintenance items)		
	1 ea	115v/60/1-ph, 2.2 amps, cord with NEMA 5-15P		
	1 ea	4" Heavy duty casters, (2) with brakes, standard		
	1 ea	FREIGHT Free freight to ship unit.		
	1 ea	LIFT GATE Estimated cost of lift gate if required at delivery. Does not include inside delivery, that is an upcharge.	\$80.00	\$80.00
Beverage Air will have a price increase starting 1/1/25. Orders must be received by 12/26/24 to ensure current pricing				

Item	Qty	Description	Sell	Sell Total
Extended Total:				\$3,155.24
2	1 ea	MILK COOLER	\$4,011.23	\$4,011.23
		Continental Refrigerator MC5NSCW Milk Cooler, 58" long, single access, cold wall cooling, (16) 13" x 13" x 11" or (10) 19" x 13" x 11" crate capacity, stainless steel top, lid & door, door cylinder security lock, electronic control with digital display, hi-low alarm, hi/low temperature alarm, white finished steel exterior body, galvanized interior with reinforced stainless steel floor, floor drain, (4) 5" swivel casters with front locking brakes, R290 Hydrocarbon refrigerant, 1/3 HP, cETLus, NSF Dimensions 41.5(h) x 58(w) x 33(d)		
	1 ea	Standard warranty (for the United States & Canada Only): 6 year parts and labor; additional 1 year compressor part		
	1 ea	115v/60/1-ph, 5.6 amps, cord, NEMA 5-15P, standard		
	1 ea	FREIGHT Free freight to ship unit. Freight carrier's limited access fee will apply.	\$155.00	\$155.00
	1 ea	LIFT GATE Estimated cost of lift gate if required at delivery. Does not include inside delivery, that is an upcharge.	\$80.00	\$80.00
Extended Total:				\$4,246.23
3	1 ea	MILK COOLER	\$3,196.77	\$3,196.77
		Excellence Commercial Products MCSC-16 School Milk Crate Cooler, 59"W, cold wall evaporator, 53 cu. ft. capacity, (16) 13" x 13" x 11" or (10) 19" x 13" x 11" crate capacity, electronic thermostat, 32° to 38°F temperature range, digital LED display, floor racks, stainless steel locking lid, stainless steel interior, painted white exterior, (4) 4" casters, R134a refrigerant, 3/8 HP, 115v/60/1-ph, 6.0 amps, NEMA 5-15P, cETLus, ETL-Sanitation, DOE 2017 Compliant*****NORMALLY STOCKED IN RENO, NV 89502 AND Plant City, FL 33565***** Dimensions 41.75(h) x 59.13(w) x 32.75(d)		
	1 ea	1 year parts & labor, 5 year leaks & 5 year compressor parts warranty, standard		
	1 ea	FREIGHT Estimated cost of freight to ship Excellence unit.	\$599.24	\$599.24
	1 ea	LIFT GATE Estimated cost of lift gate if required at delivery. Does not include inside delivery, that is an upcharge.	\$60.00	\$60.00
Extended Total:				\$3,856.01

Thank you for the opportunity to quote the above item(s). If you have any questions, need more information or would like to place an order, please call me at the HPS office.

*Invoices paid with credit card are subject to a 3% processing fee**

Pricing does not include freight charges unless noted otherwise.

LIMITED ACCESS FEE & FUEL SURCHARGES MAY APPLY.

* PRICING SUBJECT TO MANUFACTURE'S PRICE INCREASES.

Please verify all Dimensions and any Voltage & Phase or Gas types before placing an order. Verify equipment will fit through all doorways and sufficient turning room exists at all points along route to final destination inside building.

Important Information about your Delivery!

You are responsible for:

- Removing the shipment from the truck
- Bringing it into your location
- Noting damaged or missing items on the carrier's delivery receipt

Upon inspection, if any piece of the shipment is damaged or missing:

- Note it clearly on the delivery receipt before signing (ie - "missing 3 pieces", "holes in packaging", "multiple dents on table", etc).
- Keep your copy of the delivery receipt
- Contact us within 1 business day
- Keep the damaged packing materials for inspection
- Take pictures of the damaged items and packaging

If you do not make note of these issues in any way on the delivery receipt, we *cannot* guarantee any compensation for damaged or missing items. By signing your name on the delivery receipt without declaring these exceptions, you are stating that you have received your shipment in acceptable condition.

PRICE INCREASES / AVAILABILITY / LEAD TIMES

This quote is based upon the manufacturer's current published price list.

Freight delays and/or periodic shortages of raw materials and parts due to the worldwide pandemic may result in extended lead times and increased cost after your order is placed, which is out of our control.

HPS cannot be held responsible for any manufacturer cost increases or production delays to orders. We will communicate with you as soon as we are notified should any changes occur.

Nikol Newton
HPS Customer Service
800-632-4572
nnewton@hpsnet.com

Acceptance: _____ Date: _____

Printed Name: _____




BEVERAGE-AIR.

SCHOOL MILK COLD WALL COOLER

SM58HC Single Access Cooler
Hydrocarbon Series

MODEL:
SM58HC-W



7 Year Parts/Labor Warranty
7 Year Compressor Warranty

CABINET CONSTRUCTION

- White coated steel exterior
- Interior features a one-piece, stainless steel back, front, floor with galvanized side walls for maximum milk crate support
- Stainless steel lids, hinged door and door latches
- Full electronic control
- Heavy-duty epoxy coated steel wire floor racks standard
- Floor drain is centrally located for easy cleaning, connecting to drain hose with hose adapter
- Flexible compression door gaskets, ensures a tight seal
- Self-latching doors/lids with safety bumpers
- Exterior thermometer
- Cylinder lock
- 4" Heavy-duty plate casters (2 with locks)
- Cold wall milk coolers are designed to hold product temperature during service. Product should be removed at the end of service and moved to long-term, refrigerated storage

OPTIONS & ACCESSORIES

- Stainless steel interior on white models -02
- Corner bumpers
- Cafeteria tray slides
- Graphics

REFRIGERATION SYSTEM

- Uses environmentally friendly, energy efficient R290 refrigerant, and meets all regulatory requirements for CARB, SNAP, DOE & more
- Maintains product temperature between 36°F to 40°F

SM58HC SINGLE ACCESS, COLD WALL: SCHOOL MILK SERIES



Please verify qualifying units by visiting:
www.energystar.gov/cfs



3779 Champion Blvd., Winston-Salem, NC 27105
1-888-845-9800 Fax: 1-336-245-6453
Beverage-Air.com Sales@bevair.com

Specifications are subject to change without prior notice. Rev. 7/24




BEVERAGE-AIR

MODEL	SM58HC-W
EXTERNAL DIMENSIONAL DATA	
Width Overall (in)	58"
Depth Overall (in)	30 $\frac{5}{8}$ "
Height Overall with Casters (in)	41 $\frac{1}{8}$ "
Number of Lids/Doors	Single Access
Depth with Door Open 90° (in)	45 $\frac{1}{2}$ "
INTERNAL DIMENSIONAL DATA	
NET Capacity (cubic ft.)	22.63
Internal Width Overall (in)	55"
Internal Depth Overall (in)	27"
Internal Height Overall (in)	25 $\frac{3}{4}$ "
CASE CAPACITY	
13" X 13" X 11"	16
19" X 13" X 11"	10
ELECTRICAL DATA	
Full Load Amperes	2.2
REFRIGERATION DATA	
Horsepower	1/3
Capacity (BTU/Hr)	1434
Heat Rejection (BTU/Hr)	2151
Charge (lbs/grams/ounces)	0.1656 / 75 / 2.65
SHIPPING DATA	
Gross Weight	376 lbs
Height - Crated	48"
Width - Crated	61"
Depth - Crated	34"

We reserve the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. Dimensional tolerances +/- 1/4". Metric dimensions (MM).

School Milk Cooler - Single Access

Model: SM58HC-W



ELECTRICAL CONNECTION



115/60/1 NEMA 5-15P
Unit pre-wired at factory and include 8' long cord and plug set.



3779 Champion Blvd., Winston-Salem, NC 27105 1-888-845-9800 Fax: 1-336-245-6453 Beverage-Air.com Sales@bevair.com



COLD WALL MILK COOLERS

Model: MC5NSCW


Natural Refrigerant R-290 Model

58" Cold Wall Milk Cooler Single Access



ENERGY STAR® Qualified Commercial Refrigerator

White painted steel exterior, stainless steel top and door, heavy-duty stainless steel lid(s), door hinges and latches, galvanized steel interior with reinforced stainless steel floor. **Designed to keep milk cold during serving.**



Options and Accessories

(upcharge and lead times may apply)

Stainless steel exterior

Color laminate

Stainless steel interior

Corner bumpers

Wrap around bumpers

Foot pedal floor lock

Consult factory for other model configurations, options and accessories.

Continental®

Refrigerator



Project Name:

Model Specified:

Location:

Item No:

Quantity:

AIA #:

SIS #:

Standard Model Features

REFRIGERATION SYSTEM

Cold wall, performance rated refrigeration system

Natural, environmentally safe,
high efficiency R-290 refrigerant¹

Easily serviceable, bottom-mounted condensing unit

CABINET ARCHITECTURE

2" high density, non-CFC polyurethane
foamed-in-place insulation

Snap in lid and door gasket

Non-corrosive, heavy duty, epoxy coated
steel wire floor racks

Cylinder keyed security lock

5" diameter swivel plate casters with front locking brakes

MODEL FEATURES

Electronic controller with digital display & hi-low alarm

Floor drain

¹ R-290 refrigerant meets all federal and state regulatory requirements.

APPROVAL:

Model Specifications

DIMENSIONAL DATA

Net Capacity (cubic feet)	24.0 (680 cu l)
Crate Capacity (13" x 13" x 11")	16
Crate Capacity (19" x 13" x 11")	10
Width, Overall (inches)	58 (1473 mm)
Depth, Overall (inches)	33 (838 mm)
Height, Overall (inches) (including 5" casters)	41 1/2 (1054 mm)

REFRIGERANT DATA

Condensing Unit Size (H.P.)	1/3+
Capacity (BTU per hour)*	1930

ELECTRICAL DATA

Voltage (International)	115/60/1 (220/50/1)
Total Amps (International)	5.0 (2.9)
10 ft. Cord/Plug [attached] (International)	Yes (No)

SHIPPING DATA

Weight (pounds)	580 (263 kg)
Height - Crated (inches)	56 1/4 (1429 mm)
Width - Crated (inches)	67 1/4 (1708 mm)
Depth - Crated (inches)	36 1/2 (927 mm)


* Rating @ +10°F evaporator, 90°F ambient

Figures in parentheses reflect metric equivalents rounded to the nearest whole unit.




Equipped with one NEMA-5-15P Plug
(varies by country)

Model Plan Views



FRONT VIEW



SIDE VIEW

Continental
Refrigerator

Toll-Free: 800-523-7138
Phone: 215-244-1400
Fax: 215-244-9579

539 Dunksferry Road
Bensalem, PA 19020
www.continentalrefrigerator.com

Due to our continued efforts in developing innovative products, specifications subject to change without notice.



PROUDLY
DESIGNED & ASSEMBLED
IN THE U.S.A.

Intertek


© Copyright 2021, Continental Refrigerator.

A Division of National Refrigeration & Air Conditioning Products, Inc.

REVISED: 5/9/24



Profit from the Power of Partnership.



MCSC

Milk Cooler

4094 Paul Buchman Highway
Plant City, FL 335659
800.441.4014 | 813.870.0340
www.excellenceindustries.com

The company reserves the right to change the design and/or specifications of these products without notice. Printed in the USA,
Current version 09.22


KEY ASPECTS

SPECIAL FEATURES:

- Reinforced interior base
- Floor racks
- Heavy duty fan motor
- Cold wall evaporator
- One screw quick access for maintenance

OPTIONS:

- Graphics



Complies with 2017 DOE standards
for commercial cooler with solid doors

TECHNICAL SUMMARY


MODEL	SIZE	ELECTRICAL	REFRIGERATION	OTHER
MCSC-12	Width x Depth x Height 44 5/8" x 32 3/4" x 41 3/4"	41 Cubic Feet Net Weight (lbs.) 254 Shipping Weight (lbs.)** 318	115/60/1 Voltage/Hz/Phase Running Amps 6	3/8 R-134a Compressor HP +32°F to +38°F Refrigerant 12 Temperature No. of Milk Crates 46
MCSC-16	59 1/8" x 32 3/4" x 41 3/4"	53 Cubic Feet Net Weight (lbs.) 299 Shipping Weight (lbs.)** 385	115/60/1 Voltage/Hz/Phase Running Amps 6	3/8 R-134a Compressor HP +32°F to +38°F Refrigerant 16 Temperature No. of Milk Crates 42 Container Quantity

*Dimensions are all nominal lengths

**Does not include weight of pallets when needed



4094 Paul Buchman Highway
Plant City, FL 33565
800.441.4014 | 813.870.0340
www.excellenceindustries.com
ver. 09.22



Excellence Commercial Products
STANDARD WARRANTY - Within the Continental United States

Excellence Industries warrants to the user:
ONE-YEAR CABINET WARRANTY

The cabinet and all of its parts shall be free of defects in the material and workmanship under normal use and service for a period of one year from the date of purchase. Excellence Industries sole obligation under this warranty shall be limited, at its option, to either repairing or replacing any part of the cabinet determined by Excellence Industries to be defective. Excellence will pay standard labor rates when service is dispatched through Excellence Industries national service desk at 1-877-872-3797. Labor for outside service companies is only reimbursable with prior arrangements and written approval from Excellence Industries.

ADDITIONAL FOUR-YEAR COMPRESSOR WARRANTY

In addition to the Standard Warranty, Excellence Industries offers an additional FOUR YEAR COMPRESSOR WARRANTY. Excellence Industries agrees to replace the compressor with a compressor of like or one or similar design an capacity if it is determined by Excellence that the compressor is inoperative due to defects in factory workmanship or material under normal use and service. The warranty is for the part only and does not include any labor charges.

Excellence's obligation under the Four-Year Compressor Warranty Contract shall be limited to a period not to exceed five years from the date of installation. The Four-Year Compressor Warranty does not apply to any part of the cabinet or its finish, nor does it apply to the control, relay, fan or any electrical component.

Further terms of the contract cannot be considered valid if the compressor has been subjected to an accident, alteration, abuse, misuse, or damaged by shipping, delivery, flood, fire, or acts of God. The Four-Year Compressor Warranty Contract shall place no liability on Excellence for any labor or labor costs in replacing the compressor, heat exchanger, drier, fan or replaceable parts of the cabinet. Excellence Industries shall only be obligated to furnish the replacement compressor.

LIMITED FIVE-YEAR LEAK WARRANTY

The cabinet shall be free of insulation failures and refrigerant leaks within the insulated area of the cabinet for a period of five years from the date of installation or six years from the date of manufacture, whichever occurs first. Excellence sole obligation under this warranty shall be limited to the following:

- Year one after purchase – Full replacement including freight.
- Year two after purchase – A new cabinet can be purchased by customer at 20% of the original purchase price. Customer to bear cost of freight from Excellence warehouse.
- Year three after purchase – A new cabinet can be purchased by customer at 40% of the original purchase price. Customer to bear cost of freight from Excellence warehouse.
- Year four after purchase – A new cabinet can be purchased by customer at 60% of the original purchase price. Customer to bear cost of freight from Excellence warehouse.
- Year five after purchase – A new cabinet can be purchased by customer at 80% of the original purchase price. Customer to bear cost of freight from Excellence warehouse.

At Excellence Industries discretion, the company can demand return of the cabinet in question. Excellence will pay any associated cost of freight to perform internal leak tests. If the unit is deemed to not have an internal leak, the customer must bear all the cost of freight both to and from Excellence's facilities and service.

Do not Drill Holes in Cabinet

Refrigeration tubing and wiring is routed through the cabinet walls. Leaks, wet insulation, or electrical problems caused by drilled holes are not covered by warranty. Any tampering with, drilling holes in or unauthorized modification to the cabinet will void all warranties.

General:

ABUSE, MISUSE, ACCIDENTS – Excellence Industries shall not be responsible for parts or assemblies, which upon inspection are determined by Excellence Industries to have been subjected to misuse, neglect, lack of maintenance, alteration, accident, abuse, damage during transit or delivery or by fire or flood.

CONSEQUENTIAL DAMAGES - IN NO EVENT SHALL EXCELLENCE INDUSTRIES BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES, INCLUDING WITHOUT LIMITATION, FOOD SPOILAGE OR PRODUCT SPOILAGE CLAIMS, NOR FOR ANY DELAY IN THE PERFORMANCE OF THIS WARRANTY DUE TO CAUSES BEYOND ITS CONTROL.

The standard warranty and any service contract related to the STANDARD WARRANTY shall apply only to the products sold and used within the boundaries of the Continental United States.

Users may file warranty claims either directly with Stajac or with immediate seller from whom the cabinet was purchased. All claims must be supported by information concerning the alleged defect and specifically identified by the Serial Number of the cabinet.

THERE ARE NO OTHER, WARRANTIES EXPRESS, IMPLIED OR STATUTORY, EXCEPT THIS WARRANTY, WHICH IS IN LIEU OF ALL OTHER WARRANTIES INCLUDING TO THE EXTENT PERMITTED BY LAW, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.



Profit from the Power of Partnership.

EXCELLENCE INDUSTRIES
500 S Falkenburg Road, Suite 200
Tampa, Florida 33619
813-870-0340
Effective January 1, 2017